

## [Amodiaquine](#)

Not recommended as an essential medicine

Section:

[6. Anti-infective medicines 6.5. Antiprotozoal medicines 6.5.3. Antimalarial medicines 6.5.3.1. Antimalarial medicines > Medicines for curative treatment](#)

Codes ATC: [P01BA06](#)

EMLc

Indication

Malaria due to Plasmodium falciparum Code ICD11: [1F40](#)

INN

Amodiaquine

Type de médicament

Chemical agent

Type de liste

Liste de base

Additional notes

To be used in combination with artesunate 50 mg

Formulations

**Oral > Solid:** 153 mg (as hydrochloride) ; 200 mg (as hydrochloride)

Historique des statuts LME

Ajouté pour la première fois en 1977 ([TRS 615](#))

Retiré en 1979 ([TRS 641](#))

Ajouté en 1982 ([TRS 685](#))

Modifié en 1984 ([TRS 722](#))

Retiré en 1987 ([TRS 770](#))

Ajouté en 2003 ([TRS 920](#))

Modifié en 2007 ([TRS 946](#))

Modifié en 2007 ([TRS 950](#))

Modifié en 2011 ([TRS 965](#))

Retiré en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Amodiaquine](#)

DrugBank

[Amodiaquine](#)

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations of essential medicines for children, the Expert Committee recommended the removal from the EML and EMLc of single-agent amodiaquine tablets. These formulations were not found registered at stringent regulatory authorities. Fixed-dose combination formulations of amodiaquine and artesunate are preferred and are already included on the Model Lists.