



Section: 6. Anti-infective medicines > 6.5. Antiprotozoal medicines > 6.5.3. Antimalarial medicines > 6.5.3.1. Antimalarial medicines > For curative treatment

EMLc

Codes ATC: P01BF01

<b>Indication</b>	Malaria due to Plasmodium falciparum	Code ICD11: <b>1F40</b>
<b>INN</b>	Artemether + lumefantrine	
<b>Type de médicament</b>	Chemical agent	
<b>Type de liste</b>	Liste de base (EML) (EMLc)	
<b>Additional notes</b>	Not recommended in the first trimester of pregnancy or in children below 5 kg	
<b>Formulations</b>	Oral > Solid: 20 mg + 120 mg tablet ; 20 mg + 120 mg dispersible tablet (EMLc)	
<b>Historique des statuts LME</b>	Ajouté pour la première fois en 2002 (TRS 914) Modifié en 2007 (TRS 946) Modifié en 2007 (TRS 950) Modifié en 2009 (TRS 958)	
<b>Sexe</b>	Tous	
<b>Âge</b>	Aussi recommandé pour les enfants	
<b>Restriction de poids</b>	Children > 5 kg	
<b>Équivalence thérapeutique</b>	La recommandation concerne ce médicament spécifique	
<b>Renseignements sur le brevet</b>	Patents have expired in most jurisdictions Lire la suite sur les brevets.	
<b>Wikipédia</b>	Artemether + lumefantrine	
<b>DrugBank</b>	Artemether Lumefantrine	

### Résumé des preuves et recommandation du comité d'experts

Artemether + lumefantrine dispersible tablet formulation was added for children use in the treatment of malaria.

