



EMLc

ATC codes: N01BB02

Indication	Local anaesthetics ICD11 code: XM7Y85
INN	Lidocaine
Medicine type	Chemical agent
List type	Core (EML) (EMLc)
Formulations	Parenteral > Locoregional injections > Spinal anaesthesia: 5% in 2 mL ampoule (hydrochloride) + 7.5% glucose solution Parenteral > Locoregional injections > Other: 1% in vial (hydrochloride); 2% in vial (hydrochloride) Local > Topical > unspecified: 2 to 4% (hydrochloride)
EML status history	First added in 1977 (TRS 615) Changed in 2007 (TRS 950) Changed in 2021 (TRS 1035)
Sex	All
Age	Also recommended for children
Therapeutic alternatives	Medicines within the same pharmacological class can be used
Therapeutic alternatives limitations	Therapeutic alternatives to be reviewed (2023)
Therapeutic alternatives limitations for EMLc	Therapeutic alternatives to be reviewed (2023)
Patent information	Patents have expired in most jurisdictions Read more about patents. ↗
Wikipedia	Lidocaine ↗
DrugBank	Lidocaine ↗

Summary of evidence and Expert Committee recommendations

Following the review of square box listings on the EML and EMLc, the Expert Committee requested the therapeutic alternatives for lidocaine be reviewed.

