# Mefloquine

NOT RECOMMENDED AS AN ESSENTIAL MEDICINE

Section: 6. Anti-infective medicines > 6.5. Antiprotozoal medicines > 6.5.3. Antimalarial medicines > 6.5.3.2. Antimalarial medicines > Medicines for chemoprevention

**EMLc** Codes ATC: P01BC02

| | |
|---|---|
| **Indication** | Malaria due to Plasmodium falciparum Code ICD11: 1F40 |
| **INN** | Mefloquine |
| **Type de médicament** | Chemical agent |
| **Type de liste** | Liste de base |
| **Formulations** | **Oral > Solid:** 250 mg tablet (hydrochloride) |
| **Historique des statuts LME** | Ajouté pour la première fois en 1991 (TRS 825)<br>Modifié en 2007 (TRS 950)<br>Retiré en 2025 (TRS 1064) |
| **Sexe** | Tous |
| **Âge** | Aussi recommandé pour les enfants |
| **Limite d'âge** | > 3 months |
| **Restriction de poids** | > 5 kg |
| **Équivalence thérapeutique** | La recommandation concerne ce médicament spécifique |
| **Renseignements sur le brevet** | Patents have expired in most jurisdictions<br>Lire la suite sur les brevets. |
| **Wikipédia** | Mefloquine |
| **DrugBank** | Mefloquine |

## Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - to delete the listing of mefloquine for malaria chemoprevention from the EML and EMLc, noting that mefloquine is no longer recommended for this indication.