

		EMLc	ATC codes: P01BC01
Indication	Malaria due to Plasmodium falciparum	ICD11 code: 1F40	
Medicine type	Chemical agent		
List type	Core (EML) (EMLc)		
Additional notes	For use only in the management of severe malaria		
Formulations	Parenteral > General injections > IV: 300 mg per mL in 2 mL ampoule (hydrochloride) solution for infusion ; 60 mg per mL in 2 mL ampoule (hydrochloride) solution for infusion (EMLc)		
EML status history	First added in 1977 (TRS 615) Changed in 1979 (TRS 641) Changed in 1982 (TRS 685) Changed in 1987 (TRS 770) Changed in 2003 (TRS 920) Changed in 2007 (TRS 946) Changed in 2007 (TRS 950) Changed in 2025 (TRS 1064)		
Sex	All		
Age	Also recommended for children		
Therapeutic alternatives	The recommendation is for this specific medicine		
Patent information	Patents have expired in most jurisdictions Read more about patents . 		
Wikipedia	Quinine 		
DrugBank	Quinine 		

Summary of evidence and Expert Committee recommendations

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of quinine solution for infusion 60 mg/mL to the EMLc for use in the management of severe malaria; - the deletion of quinine tablet 300 mg from the EML and EMLc; - an amendment to the footnote to specify use only in the management of severe malaria; - to modify the formulation descriptions to better describe the available dosage forms.

