Quinine

Statut de médicament

Section: 6. Anti-infective medicines > 6.5. Antiprotozoal medicines > 6.5.3. Antimalarial medicines > 6.5.3.1. Antimalarial medicines > Medicines for curative treatment

EMLc | Codes ATC: P01BC01

Indication	Malaria due to Plasmodium falciparum Code ICD11: 1F40
Type de médicament	Chemical agent
Type de liste	Liste de base
Additional notes	For use only in the management of severe malaria
Formulations	**Parenteral > General injections > IV:** 300 mg per mL in 2 mL ampoule (hydrochloride) solution for infusion ; 60 mg per mL in 2 mL ampoule (hydrochloride) solution for infusion (EMLc)
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1979 (TRS 641) Modifié en 1982 (TRS 685) Modifié en 1987 (TRS 770) Modifié en 2003 (TRS 920) Modifié en 2007 (TRS 946) Modifié en 2007 (TRS 950) Modifié en 2025 (TRS 1064)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets.
Wikipédia	Quinine
DrugBank	Quinine

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of quinine solution for infusion 60 mg/mL to the EMLc for use in the management of severe malaria; - the deletion of quinine tablet 300 mg from the EML and EMLc; - an amendment to the footnote to specify use only in the management of severe malaria; - to modify the formulation descriptions to better describe the available dosage forms.