

[Quinine](#)

Statut de médicament essentiel

Section:

[6. Anti-infective medicines 6.5. Antiprotozoal medicines 6.5.3. Antimalarial medicines 6.5.3.1. Antimalarial medicines > Medicines for curative treatment](#)

Codes ATC: [P01BC01](#)

EMLc

Indication

Malaria due to Plasmodium falciparum Code ICD11: [1F40](#)

Type de médicament

Chemical agent

Type de liste

Liste de base

Additional notes

For use only in the management of severe malaria

Formulations

Parenteral > General injections > IV: 300 mg per mL in 2 mL ampoule (hydrochloride) solution for infusion ; 60 mg per mL in 2 mL ampoule (hydrochloride) solution for infusion (EMLc)

Historique des statuts LME

Ajouté pour la première fois en 1977 ([TRS 615](#))

Modifié en 1979 ([TRS 641](#))

Modifié en 1982 ([TRS 685](#))

Modifié en 1987 ([TRS 770](#))

Modifié en 2003 ([TRS 920](#))

Modifié en 2007 ([TRS 946](#))

Modifié en 2007 ([TRS 950](#))

Modifié en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Quinine](#)

DrugBank

[Quinine](#)

Résumé des preuves et recommandation du comité d'experts



Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of quinine solution for infusion 60 mg/mL to the EMLc for use in the management of severe malaria; - the deletion of quinine tablet 300 mg from the EML and EMLc; - an amendment to the footnote to specify use only in the management of severe malaria; - to modify the formulation descriptions to better describe the available dosage forms.