




EMLc

Codes ATC: **P01CX01**

Indication	Visceral leishmaniasis <span style="float: right;">Code ICD11: <b>1F54.0</b></span>
INN	Pentamidine
Type de médicament	Chemical agent
Type de liste	Liste complémentaire (EML) (EMLc)
Formulations	Parenteral > General injections > IM: 200 mg (as isetionate) ; 300 mg (as isetionate)
Historique des statuts LME	Ajouté pour la première fois en 1977 ( <b>TRS 615</b> ) Modifié en 1979 ( <b>TRS 641</b> ) Modifié en 1987 ( <b>TRS 770</b> ) Modifié en 1997 ( <b>TRS 882</b> ) Modifié en 2003 ( <b>TRS 920</b> ) Modifié en 2007 ( <b>TRS 950</b> ) Retiré en 2009 ( <b>TRS 958</b> )
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite <a href="#">sur les brevets.</a> 
Wikipédia	<a href="#">Pentamidine</a> 
DrugBank	<a href="#">Pentamidine</a> 

## Résumé des preuves et recommandation du comité d'experts

The EMLc Subcommittee had recommended the deletion of pentamidine for this indication as it was no longer used for visceral leishmaniasis in children. The Committee reviewed Section 6.5.2, medicines for leishmaniasis, for concordance between the EML and EMLc and, on the advice of the WHO Department of Control of Neglected Tropical Diseases (NTD), recommended pentamidine be also deleted from the EML.

