




Section: [6. Anti-infective medicines](#) > [6.5. Antiprotozoal medicines](#) > [6.5.5. Antitrypanosomal medicines](#) > [6.5.5.1. African trypanosomiasis](#) > [6.5.5.1.2. Medicines for the treatment of 2nd stage African trypanosomiasis](#)

		EMLc	Codes ATC: <a href="#">P01CC01</a>
Indication	African trypanosomiasis	Code ICD11: <a href="#">1F51</a>	
INN	Nifurtimox		
Type de médicament	Chemical agent		
Type de liste	Liste de base (EML) (EMLc)		
Additional notes	Only to be used in combination with eflornithine, for the treatment of <i>Trypanosoma brucei</i> gambiense infection.		
Formulations	Oral > Solid > tablet: 30 mg (scored) ; 120 mg (scored)		
Historique des statuts LME	Ajouté pour la première fois en 2009 ( <a href="#">TRS 958</a> ) Modifié en 2013 ( <a href="#">TRS 985</a> ) Modifié en 2023 ( <a href="#">TRS 1049</a> )		
Sexe	Tous		
Âge	Aussi recommandé pour les enfants		
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique		
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite <a href="#">sur les brevets.</a> 		
Wikipédia	<a href="#">Nifurtimox</a> 		
DrugBank	<a href="#">Nifurtimox</a> 		

## Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended the deletion of nifurtimox 250 mg tablets from the EML and EMLc, and the addition of nifurtimox 30 mg tablets to the EMLc (Section 6.5.5.1).

