




		EMLc	Codes ATC: B01AA03
Indication	Cerebral ischaemic stroke due to embolic occlusion	Code ICD11: 8B11.2	
INN	Warfarin		
Type de médicament	Chemical agent		
Type de liste	Liste de base (EML) Liste complémentaire (EMLc)		
Formulations	Oral > Solid > tablet: 5 mg (scored) (sodium) ; 1 mg (scored) (sodium) ; 2 mg (scored) (sodium) ; 0.5 mg (scored) (sodium) (EMLc) ; 3 mg (scored) (sodium)		
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1979 (TRS 641) Modifié en 1982 (TRS 685) Modifié en 1987 (TRS 770) Modifié en 2007 (TRS 950) Modifié en 2021 (TRS 1035) Modifié en 2025 (TRS 1064)		
Sexe	Tous		
Âge	Aussi recommandé pour les enfants		
Équivalence thérapeutique	acenocoumarol (Codes ATC: B01AA07)		
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets. 		
Wikipédia	Warfarin 		
DrugBank	Warfarin 		

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of warfarin 3 mg scored tablets to the EML and EMLc; - to modify the formulation descriptions to better describe the available dosage forms; - to specify acenocoumarol as a therapeutic alternative to warfarin.

