

EMLc

ATC codes: J05AG01

Indication	Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified ICD11 code: 1C62.Z
INN	Nevirapine
Medicine type	Chemical agent
List type	Core (EML) (EMLc)
Formulations	Oral > Liquid: 50 mg per 5 mL oral solution Oral > Solid: 200 mg tablet (EML) ; 50 mg tablet (dispersible)
EML status history	First added in 1999 (TRS 895) Changed in 2002 (TRS 914) Changed in 2007 (TRS 950) Changed in 2015 (TRS 994)
Sex	All
Age	Also recommended for children
Age restriction	> 6 weeks
Therapeutic alternatives	The recommendation is for this specific medicine
Patent information	Patents have expired in most jurisdictions Read more about patents. 
Wikipedia	Nevirapine 
DrugBank	Nevirapine 

Summary of evidence and Expert Committee recommendations

The Expert Committee recommended addition of nevirapine 50 mg dispersible tablet formulation to the core list of the EML and EMLc for the treatment of children and adolescents with HIV-1 infection. The Expert Committee agreed on the public health need for paediatric formulations of ART medicines and considered that the proposed formulation of nevirapine represented a rational treatment option for paediatric HIV patients. The Committee noted that this formulation is included in the 2013 WHO guidelines and are categorized by the IATT as an “optimal” paediatric formulation.

