

[Lamivudine + zidovudine](#)

Statut de médicament essentiel

Section:

[6. Anti-infective medicines 6.4. Antiviral medicines 6.4.2. Antiretrovirals 6.4.2.5. Fixed-dose combinations of antiretrovirals](#)

Codes ATC: [J05AR01](#)

EMLc

Indication

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Code ICD11: [1C62.Z](#)

INN

Lamivudine + zidovudine

Type de médicament

Chemical agent

Type de liste

Liste de base

Formulations

**Oral > Solid:** 30 mg + 60 mg Tablet (EMLc) ; 150 mg + 300 mg Tablet (EML)

Historique des statuts LME

Ajouté pour la première fois en 2007 ([TRS 946](#))

Modifié en 2007 ([TRS 950](#))

Modifié en 2009 ([TRS 958](#))

Modifié en 2015 ([TRS 994](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Lamivudine + zidovudine](#)

DrugBank

[Lamivudine](#),

[Zidovudine](#)

Résumé des preuves et recommandation du comité d'experts

The Expert Committee recommended the removal of lamivudine + zidovudine 150 mg + 300 mg from the EMLc to be in alignment with the recommendations of the Inter-Agency Task Team on Prevention and treatment of HIV in Pregnant Women, Mothers and their Children (1). References: 1. Update to the optimal list of paediatric ARV formulations. IATT Meeting Report, Geneva, Switzerland, 11-12 September 2013 Geneva: World Health Organization; 2013. Available from: <http://apps.who.int/medicinedocs/documents/s21435en/s21435en.pdf>.